



Fig. 1, CHV 50 - 125

	Size 50 (2 in.)	Size 65 (2½ in.)	Size 80 (3 in.)	Size 100 (4 in.)	Size 125 (5 in.)
<b>Description</b>	<b>Code no.</b>	<b>Code no.</b>	<b>Code no.</b>	<b>Code no.</b>	<b>Code no.</b>
<b>Spare part kit, cone complete</b>	<b>148G3455</b>	<b>148G3456</b>	<b>148G3457</b>	<b>148G3458</b>	<b>148G3459</b>
Pos. 2 Gasket for housing/bonnet 7 Cone complete					
<b>Spare part, cylinder</b>	<b>148G3460</b>	<b>148G3461</b>	<b>148G3462</b>	<b>148G3463</b>	<b>148G3464</b>
Pos. 2 Gasket for housing/bonnet 5 Cylinder 6 Valve seat 11 O-ring for valve seat					
<b>Repair kit, complete set of gaskets</b>	<b>148G3470</b>	<b>148G3471</b>	<b>148G3472</b>	<b>148G3473</b>	<b>148G3474</b>
Pos. 2 Gasket for housing/bonnet 7 Cone complete 11 O-ring for valve seat					
<b>Spring - standard</b> ( $\Delta p = 0.04$ bar)	<b>148G3475</b>	<b>148G3476</b>	<b>148G3477</b>	<b>148G3478</b>	<b>148G3479</b>
Pos. 10 Spring					
<b>Spring - special</b> ( $\Delta p = 0.3$ bar)	<b>148G3480</b>	<b>148G3481</b>	<b>148G3482</b>	<b>148G3483</b>	<b>148G3484</b>
Pos. 10 Spring					
<b>Top without spring*</b>	<b>148G3501</b>	<b>148G3502</b>	<b>148G3503</b>	<b>148G3504</b>	<b>148G3505</b>
*Top = complete valve without housing					
0.04 bar g = 0.58 psi g 0.3 bar g = 4.35 psi g					
<b>Note:</b> Produced from 2002					